


The Leaders in Portable X-Ray Systems

Accessories



Diagonal Tripod Mounts





Communication Cables



Soft Protective Cover



Armor Kit



Accessories


Armor Kit

The Armor Kit Contains the NOVO Armor, which provides additional mechanical protection to the NOVO Detectors, Armor Stand and a travel soft bag.


- New shock absorbent technology
- Water resistant design
- Supports wired & wireless communication
- Multiple mounting options
- Tripod connection using the Built-in 1/4" threads
- Simple Detector battery replacement



NOVO Armor 12SFN



NOVO Armor 12HRN



NOVO Armor 15WN



NOVO Armor 22WN

Armor Protective Cover for 12SFN Detector

4lbs. (1.8kg)

12.2" x 15.3" x 1.9"
(31cm x 39cm x 5cm)

Armor Protective Cover for 12HRN Detector

4.9 lbs. (2.2kg)

12.6" x 14.9" x 2.3"
(32cm x 38cm x 6cm)

Armor Protective Cover for 15WN Detector

6.4 lbs. (2.9kg)

16.5" x 15.3" x 1.9"
(42cm x 39cm x 5cm)

Armor Protective Cover for 22WN Detector

9.2 lbs. (4.2kg)

22.4" x 18.8" x 2.3"
(57cm x 47cm x 6cm)

Soft Protective Cover

The Detector Soft Protective Cover provides additional lightweight protection for NOVO Detectors.

- Additional weather & impact protection
- Special opening for Tripod Mount access
- Various positioning options using a carrying strap or D-Rings
- Supports wired & wireless communication
- Lightweight & small footprint



Soft Protective Cover for 12HRN Detector

0.9 lbs. (0.4kg)

9" x 10.6"
(23cm x 27cm)

Soft Protective Cover for 15WN Detector

1.3 lbs. (0.6kg)

12.2" x 14.9"
(31cm x 38cm)

Soft Protective Cover for 22WN Detector

2.4 lbs. (1.1kg)

19.6" x 16.1"
(50cm x 41cm)

Accessories


Diagonal Tripod Mounts

The Diagonal Tripod Mount is a lightweight accessory that firmly holds the detector and provides various positioning options.

- Four 1/4" standard threads (for portrait and landscape) for tripod or manipulation arm connection
- Secured connection to the Detector using a safety pin
- Numerous positioning options



NOVO 22WN
Diagonal Tripod Mount



NOVO 15WN
Diagonal Tripod Mount



NOVO 12HRN
Diagonal Tripod Mount

Communication Cable

The communication Cables provide reliable and fast data transmission between the various system parts.

- Transfers Power for unlimited operation when using an external power source
- Maximum of 300m wired operation range
- Lightweight, robust custom reel connected to the case or as "stand-alone"
- Extension cables of 50m, 100m and 150m

Backpack Reel



Extension Reel



Pelican Reel




Additional Accessories




Supporting NOVO Mesh Technology

Folding Slider L

Ideal for screening large objects




Elevated Mode




Folding Slider XXL

Super sized, ideal for screening XXL objects



3D Arc Mesh


3D automated imaging with exact X, Y, Z measurements



Additional Ranger Mesh Node




Multiple Nodes allow for working "around corners", obstacles and subterranean operations.



Additional Accessories

3D Arc Lite

Small 3D Imaging with exact X, Y, Z measurements




Extension Cables

Available at 50m, 100m and 150m for a total of 300m



Protective Casing

Armor



Soft Cover



Diagonal Tripod Mount

Firmly holds 12/15/22" detectors and provides various positioning options



Lookout

Organic detection, live Video & Audio




Wireless X-Ray

Enables control of X-Ray sources without an X-Ray sync cable



Robot Detector Frame

Lightweight, shock absorbing



Robot C-Arm

Detector and X-Ray Holder

